

TECHNICAL DATA SHEET

CN1967

Aliphatic Urethane Methacrylate Oligomer

DESCRIPTION

CN1967 is a difunctional aliphatic urethane acrylate oligomer. It imparts flexibility and abrasion resistance to UV/EB-cured inks and coatings. CN1967 is also non-yellowing and low in color.



No Intentionally Added Tin



SHELF LIFE

Store in the original, closed container in a dry, cool (<45°C) and well-ventilated place. Keep away from frost and heat (open flames, hot surfaces and sources of ignition) sources. Typical shelf-life is 6 months from delivery date for unopened containers. In cases where product sampling is required to carry out incoming quality tests, shelf-life should be maintained beyond opening, provided that it is tightly closed immediately after and that contamination with foreign bodies is avoided. Inhibitors have been added to enhance storage stability. They require the presence of air in the container in order to improve their efficiency. Keep stabilizer levels constant to avoid explosive polymerization. An air space is required above the liquid in all containers

STORAGE

See SDS for Storage Considerations

HEALTH AND SAFETY

See SDS for Health & Safety Considerations

LIQUID PROPERTIES

Appearance	Clear liquid
Functionality	2
Density at 25°C (g/mL)	1.0832
Color (Pt/Co or APHA)	<50

CURED PROPERTIES

Elongation at break (%)	27
Tg (°C), by DSC	78

PRODUCT PERFORMANCE

Shrinkage
Flexibility
Wood Adhesion
ABS/PC Adhesion
PVC/PS Adhesion
Weatherability
PE/PET/PP/PMMA Adhesion
Metal Adhesion
Chemical Resistance

SUGGESTED APPLICATIONS

Adhesives & sealants
Industrial flooring & waterproofing
Nail varnishes

Arkema Inc
502 Thomas Jones Way
Exton, PA 19341 – AMERICA
www.Sartomer.arkema.com

Arkema France
420, rue d'Estienne d'Orves
92705 Colombes Cedex
France
www.Sartomer.arkema.com